



Type	: PUSHER HARBOUR TUG	Propulsion	Niigata ZP-21 Kaplan type 3600 steerable propeller with kort nozzle
Year Built	: 1993	Generator	Detroit diesel generator 4-71 T 2 x 80 KVA 5, 3 phase, 380 volts
Port of Registry	: Port Kelang, Malaysia	Deck Machinery	Forward: One electro hydraulic windlass/ towing winch Braking capacity 100 T Aft: One electro hydraulic towing winch Braking capacity 100 T Towing Hook: 40 T SWL
Class	: ABS ✱A1, (E), ✱AMS	Navigational Equipment	Radar, Gyro, SSB Radio, Auto Pilot, Echo Sounder, Marine VHF, GPS, Magnetic Compass
Dimensions		Accommodation	8 persons
Length Overall	: 28 m	Builder	Keppel Singmarine Dockyard Pte. Ltd., Singapore
Breadth Moulded	: 8.50 m	Owner	Kejora Resources Sdn Bhd
Draft Design	: 3.50 m		
Depth moulded	: 4.70 m		
Tonnage			
Registered tonnage	: 69 T		
Gross tonnage	: 233 T		
Speed	: 12 knots		
Bollard Pull	: 42 T excess		
Capacity			
Fuel	: 56 m ³		
Fresh water	: 14 m ³		
Foam	: 6 m ³		
Dispersant	: 2m ³		
Main Engine			
Niigata 6L25HX			
2 x 1,500 bhp at 750 rpm			

This vessel specification is given in good faith and assumed to be correct as at 03 July 2019

KEJORA RESOURCES SDN BHD (607204-V)

No. 129-01 & 129-02, Jalan Mutiara Emas 2A, Taman Mount Austin, 81100 Johor Bahru, Johor, Malaysia.

Telephone: +607 364 9070

Fax: +607 364 9362

Email: general@kspkejora.com

