

PULAU SEBAROK - SPC /SINGAPORE CLEANSEAS PTE LTD (OSE)

JETTY	DEPTH A/S (m)	APPROACH DEPTH (m)	MAX LOA(m)	OPT / MAX DISPL. (tonnes)	REMARKS
Barge Pier	5.5	16.6	72	1,000	
OSE1A	17.1	16.6	297	160,000	
OSE1B	9.6	16.6	132	10,000	
OSE1C	17.5	16.6	108	8,000	

GENERAL INFORMATION

1. Shallower depths of water exist behind the line of Jetty between the first dolphin south of the Jetty 1C and the southernmost dolphin.
2. No berthing of vessel above the opt. / max. displacement.

PILOTAGE GUIDELINES

1. BERTHING (DAY)

a) Flood Tide

No restriction

b) Ebb Tide

(i) When no counter current exist - No restriction.

(ii) When counter current exist - Vessels' displacement restricted to $\leq 25,000$ tons

2. UNBERTHING (DAY)

Flood and Ebb Tide

No restriction

3. BERTHING (NIGHT)

OSE1B and OSE1C

Flood and Ebb Tide

No restriction

OSE1A

a) Flood Tide

Tidal strength ≤ 1.0 knot - No restriction

Tidal strength > 1.0 knot - Vessel's displacement restricted to $\leq 50,000$ tons.

b) Ebb Tide

(i) When no counter current exists - Vessels' displacement restricted to $\leq 50,000$ tons

(ii) When counter current exists - Vessels' displacement restricted to $\leq 25,000$ tons.

4. UNBERTHING (NIGHT)

Flood and Ebb Tide

No restriction

TUG GUIDELINES

TUG RECOMMENDATION FOR BERTHING AND UNBERTHING @:
Berth 1A, 1B and 1C (OSE1A, OSE1B and OSE1C).

LENGTH OVERALL OF VESSEL	NUMBER OF TUGS
Up to 70 metres LOA	Pilot to consult master on the use of tug and, if required, order from the tug company nominated by the agent
71 to 122 metres LOA	1 small tug
123 to 152metres LOA	2 small tugs
153 to 180 metres LOA	2 medium tugs
181 to 220 metres LOA	2 big tugs
221 to 280 metres LOA	2 big tugs (Pilot may order additional tug)
More than 280 metres LOA	4 big tugs (Pilot may order additional tug)

Revised: 20 Dec 2013